

A = lagervara á Akureyri  
H = lagervara í Hafnarfirði

(Með fyrirvara um lagerstöðu á hverjum tíma)  
(Með fyrirvara um lagerstöðu á hverjum tíma)

Vörunúmer	Vöruheiti	Athugasemd	kg/m	A	H
	Ryðfritt sívalt stál / Stainless steel round bars				
	EN 1.4301/AISI 304,(Ugima) kalldr. pól., DIN 671, h9, 5,25 mL				
3-96106	Rf 3mm Öx. h9		0,06	X	X
3-18101	Rf 4mm Öx. h9. 3 mL		0,1	X	X
3-96110	Rf 5mm Öx. h9.		0,15	X	X
3-96112	Rf 6mm Öx. h9.		0,22	X	X
3-18104	Rf 7mm Öx. h9. 3mL		0,3	X	X
3-96120	Rf 8mm Öx. h9.		0,4	X	X
3-96126	Rf 10mm Öx. h9.		0,62	X	X
3-96130	Rf 12mm Öx. h9.		0,89	X	X
3-96136	Rf 14mm Öx. h9.		1,21	X	X
3-96138	Rf 15mm Öx. h9.		1,39	X	X
3-96140	Rf 16mm Öx. h9.		1,58	X	X
3-96142	Rf 18mm Öx. h9.		2	X	X
3-96146	Rf 20mm Öx. h9.		2,47	X	X
3-96148	Rf 22mm Öx. h9.		2,98	X	X
3-96198	Rf 24mm Öx. h9.		3,55	X	X
3-18119	Rf 24mm Öx. h9 3mL		3,55		X
3-96201	Rf 25mm Öx. h9.		3,85	X	X
3-96210	Rf 30mm Öx. h9.		5,55	X	X
3-96213	Rf 32mm Öx. h9.		6,32	X	X
3-96216	Rf 35mm Öx. h9.		7,55	X	X
3-96219	Rf 38mm Öx. h9.		8,9	X	X
3-96222	Rf 40mm Öx. h9.		9,86	X	X
3-96225	Rf 45mm Öx. h9.		12,5		X
3-96228	Rf 50mm Öx. h9.		15,4	X	X
3-96234	Rf 60mm Öx. h9.		22,2	X	X
	Ryðfritt sívalt stál / Stainless steel round bars				
	EN 1.4404/AISI 316L,(Ugima) kalldr. pól., DIN 671, h9, 5,25 mL				
3-96109	Rf 4mm Öx. 316 h9		0,1		X
3-96113	Rf 6mm Öx. 316 h9		0,22		X
3-96121	Rf 8mm Öx. 316 h9.		0,4		X
3-96127	Rf 10mm Öx. 316 h9.		0,62		X
3-96131	Rf 12mm Öx. 316 h9.		0,89		X
3-96141	Rf 16mm Öx. 316 h9		1,58		X
3-96143	Rf 18mm Öx. 316 h9.		2		X
3-96147	Rf 20mm Öx. 316 h9.		2,47		X
3-96149	Rf 22mm Öx. 316 h9		2,98		X
3-96199	Rf 24mm Öx. 316 h9		3,55		X
3-96202	Rf 25mm Öx. 316 h9.		3,85		X

3-96211	Rf 30mm Öx. 316 h9.		5,55		X
3-96217	Rf 35mm Öx. 316 h9		7,55		X
3-96223	Rf 40mm Öx. 316 h9		9,86		X
3-96226	Rf 45mm Öx. 316 h9		12,5		X
3-96229	Rf 50mm Öx. 316 h9.		15,4		X
3-96232	Rf 55mm Öx. 316 h9.		18,7		X
3-96235	Rf 60mm Öx. 316 h9.		22,2		X
	Ryðfritt sívalt stál / Stainless steel round bars				
	EN 1.4301/AISI 304,(Ugima) glóð. bæ.s., grófr. DIN 1013, 5,25 mL				
3-96014	Rf 25mm Öx. hv. 3mL	3 mL	3,85	X	
3-96040	Rf 75mm Öx. hv.		34,7		X
3-96042	Rf 80mm Öx. hv.		39,47		X
3-96046	Rf 90mm Öx. hv.		49,94		X
3-96050	Rf 100mm Öx. hv.		61,55		X
3-96052	Rf 105mm Öx. hv.		67,97		X
3-96058	Rf 120mm Öx. hv.		88,78		X
3-96062	Rf 130mm Öx. hv.		104,2		X
3-96066	Rf 140mm Öx. hv.		121		X
3-96074	Rf 160mm Öx. hv.		158		X
3-96090	Rf 200mm Öx. hv.		247		X
	Ryðfritt sívalt stál / Stainless steel round bars				
	EN 1.4404/AISI 316L,(Ugima) glóð. bæ.s. grófr. DIN 1013, 5,25 mL				
3-96043	Rf 80mm Öx. Hv. 316		39,47		X
3-96047	Rf 90mm Öx. hv. 316		49,94		X
	Ryðfritt sívalt stál / Stainless steel round bars, AUTO				
	EN 1.4305/AISI 303,(Ugima) DIN 671, kalddr. eða slípað h9, 3 mL				
3-96260	Rf 5mm Auto. h9. í 3 mL		0,15	X	X
3-96266	Rf 6mm Auto. h9. í 3 mL		0,22	X	
3-96278	Rf 8mm Auto. h9. í 3 mL		0,4	X	X
3-96287	Rf 10mm Auto. h9. í 3 mL		0,62	X	X
3-96293	Rf 12mm Auto. h9. í 3 mL		0,89	X	X
3-96302	Rf 14mm Auto. h9. í 3 mL		1,21	X	X
3-96311	Rf 16mm Auto. h9. í 3 mL		1,58	X	X
3-96326	Rf 20mm Auto. h9. í 3 mL		2,47	X	X
3-96332	Rf 22mm Auto. h9. í 3 mL		2,98	X	X
3-96336	Rf 24mm Auto. h9. í 3 mL		3,55		X
3-96338	Rf 25mm Auto. h9. í 3 mL		3,85	X	X
3-96344	Rf 30mm Auto. h9. í 3 mL		5,55	X	X
3-96346	Rf 32mm Auto. h9. í 3 mL		6,32	X	X
3-96348	Rf 35mm Auto. h9. í 3 mL		7,55	X	X
3-11037	Rf 38mm Auto. h9. í 3 mL		8,9	X	X
3-96350	Rf 40mm Auto. h9. í 3 mL		9,86	X	X
3-96352	Rf 45mm Auto. h9. í 3 mL		12,5		X
3-96354	Rf 50mm Auto. h9. í 3 mL		15,4	X	X
3-96358	Rf 60mm Auto. h9. í 3 mL		22,2	X	X
	Ryðfritt sívalt stál / Stainless steel round bars, AUTO				
	EN 1.4305/AISI 303,(Ugima) DIN 1013, glóð. bæ.s. / grófrennt, 3 mL				
3-17063	Rf 65mm Auto. hv. 3 mL		26		X

3-17064	Rf 70mm Auto. hv. 3 mL		30,21	X	X
3-17065	Rf 80mm Auto. hv. 3 mL		39,47	X	X
3-17067	Rf 85mm Auto. hv. 3 mL		44,56	X	X
3-17066	Rf 100mm Auto. hv. 3 mL		61,55	X	X
	Ryðfritt 6kt. stál / Stainless steel 6kt. Bars, AUTO				
	EN 1.4305/AISI 303, kalldr., ISO h11, DIN 176, 3 mL				
3-96376	Rf 30mm 6kt. auto 3 mL		6,11		X
	Ryðfritt sívalt stál, seighert / Stainless steel round bars				
	EN 1.4418/UGINE 165M, slípað í ISO h9, 5,25 mL (normal)				
3-15009	Rf 16mm Seigh. h9. 1.4418		1,58	X	X
3-15010	Rf 20mm Seigh. h9. 1.4418		2,47	X	X
3-15011	Rf 25mm Seigh. h9. 1.4418		3,86	X	X
3-33352	Rf 30mm Seigh. h9. 1.4418		5,56	X	X
3-15014	Rf 35mm Seigh. h9. 1.4418		7,57	X	X
3-33356	Rf 40mm Seigh. h9. 1.4418		9,86	X	X
3-15017	Rf 45mm Seigh. h9. 1.4418		12,48	X	X
3-33358	Rf 50mm Seigh. h9. 1.4418		15,41	X	X
3-33360	Rf 60mm Seigh. h9. 1.4418		22,2	X	X
3-33361	Rf 65mm Seigh. h9. 1.4418		26,05	X	X
3-33362	Rf 70mm Seigh. h9. 1.4418		30,21	X	X
3-33364	Rf 80mm Seigh. h9. 1.4418		39,47	X	X
3-15027	Rf 100mm Seigh. h9. 1.4418		61,55		X